| Ref<br># | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|---|---------------------|---------|------------------|
| S75      | 4    | 717/136.ccls. (invo\$8 near4 (handler or instance or object)) (interface near8 (instance or object)) (version with (api or call or method or function)) ((marshal\$4 or proxy) near6 (instance or object or class))                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/27 06:58 |
| S74      | 15   | 717/136.ccls. (invo\$8 near4 (handler or instance or object)) (interface near8 (instance or object)) (version with (api or call or method or function))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/27 06:57 |
| S73      | 56   | 717/136.ccls. (invo\$8 near4 (handler or instance or object)) (interface near8 (instance or object))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/27 06:57 |
| S72      | 8    | 717/120.ccls. ((api or call or method or function) near6 version\$4) (interface with (instance or object)) ((marshal\$4 or proxy or common or generic) near6 (instance or object)) (invo\$8 near4 (handler or instance or object)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/27 06:56 |
| S71      | 11   | 717/120.ccls. ((api or call or method or function) near6 version\$4) (interface with (instance or object)) ((marshal\$4 or proxy or common or generic) near6 (instance or object))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/27 06:34 |
| S70      | 25   | 717/120.ccls. ((api or call or method or function) near6 version\$4) (interface with (instance or object))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/27 06:31 |
| S69      | 9    | 719/328.ccls. ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object)) (version\$4 near8 specific) ((name or formal) near8 parameter) (invo\$9 near6 (handler or instance or object))              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/26 08:46 |
| S68      | 9    | 719/328.ccls. ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object)) (version\$4 near8 specific) ((name or formal) near8 parameter)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/26 08:45 |
| S67      | 18   | 719/328.ccls. ((proxy or marshal\$6) near4 (instance or object)) (Interface with (instance or object)) (version\$4 near8 specific)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/26 08:44 |
| S66      | 3    | 719/330.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ·AND                | ON      | 2007/04/26 08:17 |
| S65      | 4    | 7.19/330.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND                 | ON      | 2007/04/26 08:17 |

|      |     |  | -   |     |    |                  |
|------|-----|--|---|-----|----|------------------|
| S63  | 1   | 719/332.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object)) (interface with (instance or object))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/26 08:17 |
| S62  | 1   | 719/332.ccls. (version\$4 near8 specific) ((proxy or marshal\$6) near4 (instance or object))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/26 08:16 |
| S64  | 3   | 719/330.ccls. ((call or method or function) near8 version\$4 near8 specific)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/26 08:15 |
| S60  | 0   | 719/332.ccls. ((call or method or function) near8 version\$4 near8 specific)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/26 08:15 |
| S61  | 5   | 719/332.ccls. (version\$4 near8 specific)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/26 08:10 |
| \$59 | 5   | (invocation near4 handler near4 (instance or object)) ((marshal\$4 or proxy) near3 instance) ((interface or api) near9 (instance or object or version\$4)) ((version\$4 or specific) near9 (interface or api)) ((method or call or function) near9 (version\$4 or map\$4 or specific))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/20 13:16 |
| S58  | 325 | (invocation near4 (handler or instance or object)) ((marshal\$4 or proxy) near3 (instance or object)) ((interface or api) with (instance or object or version\$4)) ((version\$4 or specific) with (interface or api)) ((method or call or function) with (version\$4 or map\$4 or specific))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/20 13:14 |
| S57  | 354 | (invocation near4 (handler or instance or object)) ((marshal\$4 or proxy) near3 (instance or object)) ((interface or api) with (instance or object or version\$4)) ((version\$4 or specific) with (interface or api))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/20 12:49 |
| S56  | 20  | ((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance)) ((common or generic) near6 (api or interface)) ((specific or version\$4) near6 (api or interface or call or method or function)) ((interface or api) near8 (map\$4 or transform\$5 or convert\$4)) (interface same object) (interface.clm. or api.clm.) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/20 12:47 |
| S55  | 30  | ((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance)) ((common or generic) near6 (api or interface)) ((specific or version\$4) near6 (api or interface or call or method or function)) ((interface or api) near8 (map\$4 or transform\$5 or convert\$4)) (interface same object)                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/20 12:34 |
| S52  | 47  | ((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance)) ((common or generic) near6 (api or interface)) ((specific or version\$4) near6 (api or interface or call or method or function))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/20 12:30 |

| S51 | 177  | ((marshal\$5 or proxy) near4 instance) (invo\$8 near4 (handler or instance))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/20 12:29 |
|-----|------|--|---|-----|----|------------------|
| S50 | 62   | (specific with (version\$4 or release) with (call or method or function or api)) (interface with (object or instance)) ((version\$4 or specific or generic or common) near4 (object or instance)) ((translat\$4 or converte\$3 or converti\$3 or match\$4 or map\$4 or discover\$4) with (call or method or function or api) with (specific or generic or common)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 11:39 |
| S49 | 155  | (specific with (version\$4 or release) with (call or method or function or api)) (interface with (object or instance)) ((version\$4 or specific or generic or common) near4 (object or instance)) ((translat\$4 or converte\$3 or converti\$3 or match\$4 or map\$4 or discover\$4) with (call or method or function or api))                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 11:38 |
| S48 | 257  | (specific with (version\$4 or release) with (call or method or function or api)) (interface with (object or instance)) ((version\$4 or specific or generic or common) near4 (object or instance))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 11:36 |
| S47 | 5856 | (specific with (version\$4 or release) with (call or method or function or api))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 11:35 |
| S46 | 35   | interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) ((map\$4 or translat\$4 or converte\$3 or converti\$3) with (generic or common or specific) with (api or call or method or function))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 09:17 |
| S45 | 53   | interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) ((map\$4 or translat\$4 or converte\$3 or converti\$3) with (generic or common or specific))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 09:17 |
| S44 | 49   | interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) (call or function) (san or (storage adj area) or adapter or switch or hba)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 09:15 |
| S43 |      | interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common)) (instance or object) (call or function)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 09:08 |
| S42 | 56   | interface (version\$4 near8 (specific)) (proxy near4 (instance or object or api or call or method or function)) api (version\$4 near8 (generic or common))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 09:07 |
| S41 | 329  | interface (version\$4 near8 (specific or generic)) (proxy near4 (instance or object or api or call or method or function))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/17 09:06 |

| S40 | 23   | (((storage adj3 network) or san) same (adapter or hba or driver) same api) ((specific or version) with (method or call or function or api)) @ay<"2004"                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/17 09:04 |
|-----|------|--|---|-------|----|------------------|
| S39 | 38   | (((storage adj3 network) or san) same (adapter or hba or driver) same api) ((specific or version) with (method or call or function or api))                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 14:08 |
| S38 | 31   | (((storage adj3 network) or san) same (adapter or hba or driver) same api) ((specific or version) with (method or call or api))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 14:08 |
| S37 | 81   | (((storage adj3 network) or san) same (adapter or hba or driver) same api) (specific or version)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 14:07 |
| S36 | 75   | (((storage adj3 network) or san) same (adapter or hba or driver) same api) specific  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 14:07 |
| S35 | 97   | (((storage adj3 network) or san) same (adapter or hba or driver) same api)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 14:07 |
| S34 | 4846 | (((storage adj3 network) or san) same (adapter or hba or api))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 14:06 |
| S33 |      | (((storage adj3 network) or san) with (bus or adapter or hba or api)) ((version\$4 with (call or method)) same api) ((call or method or version or api) with specific) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 13:11 |
| S32 | 160  | (((storage adj3 network) or san) with (bus or adapter or hba or api)) (version\$4 with (call or method))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND . | ON | 2007/04/16 13:10 |
| S30 | 13   | (((storage adj3 network) or san) same (bus or adapter or hba) same api) version\$4 @ay<"2004"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 13:08 |
| S29 | 21   | (((storage adj3 network) or san) same (bus or adapter or hba) same api) version\$4   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 13:06 |

|     |       | LAGI Gealen mate   | . <b>y</b>  |       |    |                  |
|-----|-------|--|---|-------|----|------------------|
| S28 | 53    | (((storage adj3 network) or san) same (bus or adapter or hba) same api)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND _ | ON | 2007/04/16 13:06 |
| S27 | 967   | (((storage adj3 network) or san) same (bus or adapter or hba)) api   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 13:06 |
| S26 | 30085 | (storage adj3 network)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 12:58 |
| S25 | 38    | (api near6 version\$4) ((specific or version\$4) near4 (method or call)) (api same (adapter or bus or storage or san or hba)) ((generic or common) same api) @ay<"2004"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 12:58 |
| S24 | 67    | (api near6 version\$4) ((specific or version\$4) near4 (method or call)) (api same (adapter or bus or storage or san or hba)) ((generic or common) same api)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 12:46 |
| S23 | 138   | (api near6 version\$4) ((specific or version\$4) near4 (method or call)) (api same (adapter or bus or storage or san or hba))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 12:46 |
| S22 | 22    | ((storage or bus or adapter) with (api) with (common or generic)) ((version or specific) near8 (call or method)) (san or hba)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 12:44 |
| S21 | 83    | ((storage or bus or adapter) with (api) with (common or generic)) ((version or specific) near8 (call or method))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 12:26 |
| S20 | 241   | ((storage or bus or adapter) with (api) with (common or generic))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/16 12:25 |
| S19 | 11    | ((exact or correct or specific or special or compatible) near4 (method or call or version\$4)) (interface with (object or instance)) (proxy near3 (instance or object)) (invocation near3 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call)) (class near6 proxy) (class near6 (invocation or hand\$4)) (invocation same (object or instance) same version\$4 same (method or call)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/12 09:38 |
| S16 | 67    | ((exact or correct or specific or special or compatible) near4 (method or call or version\$4)) (interface with (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4)) (class near6 proxy) (class near6 (invocation or hand\$4))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | ON | 2007/04/12 09:35 |

|     |      |  | -   |     |    |                  |
|-----|------|--|---|-----|----|------------------|
| S15 | 70   | ((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4)) (class with proxy) (class with (invocation or hand\$4)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:28 |
| S14 | 91   | ((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4)) (class with (proxy or invocation or hand\$4))           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:27 |
| S13 | 103  | ((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object)) ((match\$4 or compar\$3 or comparis\$4) with (method or call or version\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:27 |
| S12 | 201  | ((exact or correct or specific or special or compatible) near4 (method or call or version)) (interface same (object or instance)) (proxy near3 (instance or object)) (invocation near2 (hand\$4 or instance or object))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:25 |
| S11 | 6    | "6415435" ((exact or correct or specific or special or compatible) near4 (method or call or version))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:23 |
| S10 | 9    | "6415435"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:19 |
| S9  | 3    | "6877163"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:13 |
| S8  | 130  | (version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4) (interface with version\$4) (class same object) (current near6 version\$4) ((method or call) near6 (specific or special or correspond\$4 or associat\$4))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:12 |
| S7  | 158  | (version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4) (interface with version\$4) (class same object) (current near6 version\$4)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:08 |
| S6  | 394  | (version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4) (interface with version\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:07 |
| S5  | 1250 | (version\$4 near6 (method or call)) (version near6 (specific or special or correspond\$4 or associat\$4)) (object with version\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/12 09:06 |

| S4 | 35 | (((application adj2 interface) or api) near8 version\$6) (version with specific\$4 with (method or call)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/10 15:21 |
|----|----|---|---|-----|----|------------------|
| S3 | 26 | (((application adj2 interface) or api) near8 version\$6) (version with specific with (method or call))    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2007/04/10 15:21 |
| S1 | 1  | 10/682012   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TOB | AND | ON | 2007/04/10 15:16 |